




PORCELAIN PAVERS COLLECTION

Volume 1




16, 20 & 30MM THICKNESSES

PORCELAIN PAVERS COLLECTION

16mm



20mm



30mm



Thicknesses

Unfold a perfect amalgamation of functionality and durability with outdoor tiles that come in a range of thicknesses including 16mm, 20mm, and 30mm, offering versatility for various landscaping and architectural applications.

The 16mm thickness is ideal for lighter pedestrian areas while the 20mm option provides durability for moderate foot traffic and vehicular loads. For heavy-duty outdoor spaces such as driveways or commercial areas, the 30mm thickness offers


robustness and resilience against high impact and weight-bearing requirements. Look no further for a seamless transformation of the outdoors as you discover a seamless option with the Porcelain Pavers Collection by Our.

Versatile
Durable
Functional

BENEFITS OF PORCELAIN PAVERS
>
INDEX
>
PRODUCT RANGE
>
ACCESSORIES
>
TECHNICAL SPECIFICATIONS
>

Sizes Board

Introducing our exclusive collection of outdoor tiles, designed for versatility and style. Available in a range of sizes to suit any exterior style, from expansive patios to cozy balconies. Elevate your outdoor space with unmatched durability and timeless elegance.



Architectural Colors

OUTDOOR PORCELAIN PAVERS

Add a strong yet subtle personality to your outdoors with simple yet significant earthy colors that reflect the architectural elements. The timeless earthy color palette infuses the outdoors with solidity and durability.

The natural accent details create a visual interest when laid on outdoors, adding a contrasting elegance. These magnificent surfaces reflect the natural beauty and architectural elements very well.



Earthy
Vibrance

Why choose Porcelain Pavers for your outdoor area?

- | | | |
|---|--|---|
|  Non-Slip (R11) Surface |  Frost Resistant |  Does Not Absorb Water |
|  D.I.Y. (Easy to Do it Yourself at Home) |  Easy to Clean |  Salt Resistant |
|  Anti Bacterial |  Resistant to Chemical Products |  Fire Resistant |
|  Resistant to Breaking Loads |  Resists Sudden Temperature Changes |  Easy to Install |
|  Moss and Mould Resistant |  Easy to Inspect and Replace |  Impact Resistant |
|  Resistant to Abrasion |  Resistant to Staining |  Resistant to Blemishes |
|  Resistant to Deep Scratches |  Sunlight-Resistant Colours |  Safe from Thermal Shock |
|  Durable |  Acid Resistant | |



Index

PRODUCT RANGE

- MAGMA
- LAVA
- EARTHSTONE
- ROCK
- LIMESTONE
- CRYSTAL
- FOSSIL
- HAMMER STONE
- MUSTANG
- SAND
- QUARTZITE
- EVEREST
- SLATES
- GRANITES
- SMOKE
- SANDSTONES
- BELGIUM
- BLUESTONE
- MARBLE
- WOOD PLANKS

ACCESSORIES

- COBBLES
- STEP-RISER
- EDGING
- COPING
- POOL DRAINS

TECHNICAL SPECIFICATIONS

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS


>

Product Range

Magma Series



Lava Series




Earthstone Series



Rock Series



Limestone Series




Crystal Series




Fossil Series



Hammer Stone Series



Mustang Series



BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS


>

Product Range


Sand Series



Quartzite Series



Everest Series



Slates Series



Granites Series



Smoke Series



Sandstones Series



BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS


>

Product Range


Belgium Series




Bluestone Series




Marble Series



Wood Plank Series



Accessories



BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES


>

TECHNICAL
SPECIFICATIONS

>

Magma Series

OUTDOOR PORCELAIN PAVERS



V2


Sizes Available :




600x
1200mm
Random : 5



600x
900mm
Random : 10




800x
800mm
Random : 6



600x
600mm
Random : 10

Thickness



DIY




F ROST
RESISTANCE



STAIN
RESISTANCE



7221 Magma Silver



7224Magma Anthracite

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Magma Silver**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>




Preview of : **Magma Anthracite**

BENEFITS OF PORCELAIN PAVERS	>
INDEX	>
PRODUCT RANGE	>
ACCESSORIES	>
TECHNICAL SPECIFICATIONS	>

Lava Series

OUTDOOR PORCELAIN PAVERS



V2


Sizes Available :




600x
1200mm
Random : 5



600x
900mm
Random : 9




800x
800mm
Random : 5



600x
600mm
Random : 16

Thickness




DIY



FROST
RESISTANCE



STAIN
RESISTANCE




1071 Lava Beige



1068 Lava Grey



1044 Lava Dark Grey



1100 Lava Nero

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Lava Beige**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Lava Grey**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>


TECHNICAL
SPECIFICATIONS

>



Preview of : **Lava Dark Grey**

BENEFITS OF PORCELAIN PAVERS
>
INDEX
>
PRODUCT RANGE
>
ACCESSORIES
>
TECHNICAL SPECIFICATIONS
>



Preview of : **Lava Nero**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES


>

TECHNICAL
SPECIFICATIONS

>

Earthstone Series

OUTDOOR PORCELAIN PAVERS



V2


Sizes Available :




600x
1200mm
Random : 3



600x
900mm
Random : 4




800x
800mm
Random : 4



600x
600mm
Random : 5

Thickness



DIY



FROST
RESISTANCE



STAIN
RESISTANCE



7204 Earthstone Beige



7206Earthstone Smoke



7203 Earthstone Grey



7202 Earthstone Nero

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Earthstone Beige**

BENEFITS OF
PORCELAIN
PAVERS



INDEX



PRODUCT
RANGE



ACCESSORIES



TECHNICAL
SPECIFICATIONS





Preview of : **Earthstone Smoke**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Earthstone Grey**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Earthstone Nero**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES


>

TECHNICAL
SPECIFICATIONS

>

Rock Series

OUTDOOR PORCELAIN PAVERS



V2


Sizes Available :




**600x
1200mm**
Random : 3



**600x
900mm**
Random : 6




**800x
800mm**
Random : 4



**600x
600mm**
Random : 8

Thickness




DIY



FROST
RESISTANCE




STAIN
RESISTANCE



4508 Rock Beige




4506 Rock Bronze



4502 Rock Bianco



4512 Rock Grey



4503 Rock Gris

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Rock Beige**

BENEFITS OF PORCELAIN PAVERS	>
INDEX	>
PRODUCT RANGE	>
ACCESSORIES	>
TECHNICAL SPECIFICATIONS	>



Preview of : **Rock Bronze**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Rock Bianco**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>

Preview of : **Rock Grey**



Preview of : **Rock Gris**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES


>

TECHNICAL
SPECIFICATIONS

>

Limestone Series

OUTDOOR PORCELAIN PAVERS



V2


Sizes Available :




**600x
1200mm**
Random : 5



**600x
900mm**
Random : 5




**800x
800mm**
Random : 4



**600x
600mm**
Random : 7

Thickness



DIY




FROST
RESISTANCE



STAIN
RESISTANCE



4517 Limestone Ivory



4520 Limestone Ash



4518 Limestone Grey

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Limestone Ivory**

BENEFITS OF PORCELAIN PAVERS	>
INDEX	>
PRODUCT RANGE	>
ACCESSORIES	>
TECHNICAL SPECIFICATIONS	>



Preview of : **Limestone Ash**

BENEFITS OF
PORCELAIN
PAVERS



INDEX



PRODUCT
RANGE



ACCESSORIES



TECHNICAL
SPECIFICATIONS






Preview of : **Limestone Grey**

BENEFITS OF PORCELAIN PAVERS	>
INDEX	>
PRODUCT RANGE	>
ACCESSORIES	>
TECHNICAL SPECIFICATIONS	>

Crystal Series

OUTDOOR PORCELAIN PAVERS



V2


Sizes Available :




600x
1200mm
Random : 3



600x
900mm
Random : 4




800x
800mm
Random : 3



600x
600mm
Random : 5

Thickness



DIY




FROST
RESISTANCE




STAIN
RESISTANCE



1001 Crystal Bianco



1002 Crystal Gris



1221 Crystal Nero

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Crystal Bianco**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Crystal Gris**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE


>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>




Preview of : **Crystal Nero**

BENEFITS OF PORCELAIN PAVERS	>
INDEX	>
PRODUCT RANGE	>
ACCESSORIES	>
TECHNICAL SPECIFICATIONS	>

Fossil Series

OUTDOOR PORCELAIN PAVERS



V2


Sizes Available :




600x
1200mm
Random : 10



600x
900mm
Random : 9




800x
800mm
Random : 20



600x
600mm
Random : 24

Thickness



DIY



FROST
RESISTANCE



STAIN
RESISTANCE




4523 Fossil Beige



4521 Fossil Gris



4525 Fossil Sky



4522 Fossil Nero

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Fossil Beige**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>

Preview of : **Fossil Gris**



Preview of : **Fossil Sky**

BENEFITS OF PORCELAIN PAVERS
>
INDEX
>
PRODUCT RANGE
>
ACCESSORIES
>
TECHNICAL SPECIFICATIONS
>



Preview of : **Fossil Nero**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>

Hammer Stone Series

OUTDOOR PORCELAIN PAVERS



Sizes Available :



600x
1200mm
Random : 3



600x
900mm
Random : 3




800x
800mm
Random : 5



600x
600mm
Random : 5

Thickness




DIY




FROST
RESISTANCE



STAIN
RESISTANCE



V2



1021 Hammer Stone Beige



1022 Hammer Stone Grey



1023 Hammer Stone Nero

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Hammer Stone Beige**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Hammer Stone Grey**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Hammer Stone Nero**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES


>

TECHNICAL
SPECIFICATIONS

>

Mustang Series

OUTDOOR PORCELAIN PAVERS



V3


Sizes Available :



600x
1200mm
Random :4



600x
900mm
Random : 8




800x
800mm
Random : 8



600x
600mm
Random : 8

Thickness




DIY



F ROST
RESISTANCE



STAIN
RESISTANCE



1015 Mustang Grey



1014 Mustang Nero

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Mustang Grey**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Mustang Nero**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES


>

TECHNICAL
SPECIFICATIONS

>

Sand Series

OUTDOOR PORCELAIN PAVERS



V2


Sizes Available :




600x
1200mm
Random :1



600x
900mm
Random : 2




800x
800mm
Random : 3



600x
600mm
Random : 3

Thickness



DIY



F ROST
RESISTANCE



STAIN
RESISTANCE



1006 Sand Pearl



1005 Sand Mocha

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Sand Pearl**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Sand Mocha**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES


>

TECHNICAL
SPECIFICATIONS

>

Quartzite Series

OUTDOOR PORCELAIN PAVERS



V3


Sizes Available :




600x
1200mm
Random :14



600x
900mm
Random : 14




800x
800mm
Random : 14



600x
600mm
Random : 30

Thickness




DIY



FROST
RESISTANCE



STAIN
RESISTANCE



1011 Quartzite Pearl

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Quartzite Pearl**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES


>

TECHNICAL
SPECIFICATIONS

>

Everest Series

OUTDOOR PORCELAIN PAVERS



V3


Sizes Available :



600x
1200mm
Random : 5



600x
900mm
Random : 5




800x
800mm
Random : 10



600x
600mm
Random : 10

Thickness



DIY



FROST
RESISTANCE



STAIN
RESISTANCE



1252 Everest Crema



1251 Everest Pearl



1253 Everest Gris



1254 Everest Nero

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Everest Crema**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Everest Pearl**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Everest Gris**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Everest Nero**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES


>

TECHNICAL
SPECIFICATIONS

>

Slates Series

OUTDOOR PORCELAIN PAVERS



V4


Sizes Available :




600x
1200mm



600x
900mm




800x
800mm



600x
600mm

Thickness



DIY



F ROST
RESISTANCE



STAIN
RESISTANCE



1017

Random :
Upto 8

African
Slate



4223

Random :
Upto 23


Grey
Slate



6122

Random :
Upto 14


Black
Slate



1223

Random :
Upto 14


Casted
Slate



3660

Random :
Upto 29

Copper
Slate



1183

Random :
Upto 30

Rust
Pennsylvania
Bluestone

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **African Slate**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Casted Slate**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Grey Slate**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Copper Slate**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE


>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Black Slate**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Rust Pennsylvania Bluestone**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES


>

TECHNICAL
SPECIFICATIONS

>

Granites Series

OUTDOOR PORCELAIN PAVERS



V1


Sizes Available :




600x
1200mm



600x
900mm




800x
800mm



600x
600mm

Thickness




DIY



FROST
RESISTANCE



STAIN
RESISTANCE



1027 Random : Upto 5 G-603



1026 Random : 1 G-654



1098 Random : 1 Basalt

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **G-603**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **G-654**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE


>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>


TECHNICAL
SPECIFICATIONS

>

Preview of : **Basalt**

Smoke Series

OUTDOOR PORCELAIN PAVERS



V2


Sizes Available :




**600x
1200mm**
Random :5



**600x
900mm**
Random : 6




**800x
800mm**
Random : 5



**600x
600mm**
Random : 8

Thickness



DIY



F ROST
RESISTANCE




STAIN
RESISTANCE



1391 **Smoke Beige**



1392 **Smoke Taupe**



1395 **Smoke Tobac**



1393 **Smoke Sky**



1394 **Smoke Grey**



1396 **Smoke Nero**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Smoke Beige**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Smoke Taupe**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Smoke Tobac**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Smoke Sky**

BENEFITS OF
PORCELAIN
PAVERS



INDEX



PRODUCT
RANGE



ACCESSORIES



TECHNICAL
SPECIFICATIONS





Preview of : **Smoke Grey**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>




Preview of : **Smoke Nero**

BENEFITS OF PORCELAIN PAVERS
>
INDEX
>
PRODUCT RANGE
>
ACCESSORIES
>
TECHNICAL SPECIFICATIONS
>

Sandstones Series

OUTDOOR PORCELAIN PAVERS



V4


Sizes Available :




600x
1200mm



600x
900mm



800x
800mm



600x
600mm

Thickness



DIY



F ROST
RESISTANCE



STAIN
RESISTANCE




1181 Random :
Upto 60 Raveena




1090 Random :
Upto 31 Sawn
Bu



1084 Random :
Upto 20 York
Stone



1081 Random :
Upto 31 Sagar
Black



1061 Random :
Upto 8 Kandla
Grey
Honed



1085 Random :
Upto 44 Raj
Green



1086 Random :
Upto 31 Cedar
Green



1083 Random :
Upto 32 Bu



1043 Random :
Upto 68 Kandla
Grey

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Raveena**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Raj Green**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>

Preview of : **Sawn Bu**



Preview of : **Cedar Green**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **York Stone**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>

Preview of : **Bu**



Preview of : **Sagar Black**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Kandla Grey**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>




Preview of : **Kandla Grey Honed**

BENEFITS OF PORCELAIN PAVERS	>
INDEX	>
PRODUCT RANGE	>
ACCESSORIES	>
TECHNICAL SPECIFICATIONS	>

Belgium Series

OUTDOOR PORCELAIN PAVERS



V2


Sizes Available :




**600x
1200mm**
Random : 8



**600x
900mm**
Random : 16




**800x
800mm**
Random : 16



**600x
600mm**
Random : 16

Thickness



DIY



FROST
RESISTANCE



STAIN
RESISTANCE



1247 Belgium Gris



1248 Belgium Grafito



1249 Belgium Nero

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Belgium Gris**

BENEFITS OF PORCELAIN PAVERS	>
INDEX	>
PRODUCT RANGE	>
ACCESSORIES	>
TECHNICAL SPECIFICATIONS	>



Preview of : **Belgium Grafito**

BENEFITS OF PORCELAIN PAVERS
>
INDEX
>
PRODUCT RANGE
>
ACCESSORIES
>
TECHNICAL SPECIFICATIONS
>



Preview of : **Belgium Nero**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES


>

TECHNICAL
SPECIFICATIONS

>

Bluestone Series

OUTDOOR PORCELAIN PAVERS



V2


Sizes Available :




600x
1200mm
Random : 2



600x
900mm
Random : 3




800x
800mm
Random : 3



600x
600mm
Random : 4

Thickness



DIY




F ROST
RESISTANCE



STAIN
RESISTANCE



7241 Bluestone Light



7242 Bluestone Dark

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Bluestone Light**

BENEFITS OF PORCELAIN PAVERS	>
INDEX	>
PRODUCT RANGE	>
ACCESSORIES	>
TECHNICAL SPECIFICATIONS	>



Preview of : **Bluestone Dark**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES


>

TECHNICAL
SPECIFICATIONS

>

Marble Series

OUTDOOR PORCELAIN PAVERS



V3


Sizes Available :




600x
1200mm



600x
900mm




800x
800mm



600x
600mm

Thickness




DIY



F ROST
RESISTANCE




STAIN
RESISTANCE



1454

Random : 6

Statuario
Gold



1451

Random : 12

Elegance
Statuario

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Statuario Gold**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Elegance Statuario**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES


>

TECHNICAL
SPECIFICATIONS

>

Wood Plank Series

OUTDOOR PORCELAIN PAVERS



V2

Sizes Available :



300x
1200mm


Random :
Upto 12



200x
900mm

Random :
Upto 24

Thickness



DIY




FROST
RESISTANCE



STAIN
RESISTANCE



1103 Wood Grove
Beige



1104 Wood Grove
Dark



1116 Wood Grove
Light



1102 Wood Grove
Grey



1133 Deckwood
Amber



1134 Deckwood
Caramel



1131 Deckwood
Pearl



1136 Deckwood
Charcoal

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Wood Grove Beige**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>

Preview of : **Wood Grove Dark**



Preview of : **Wood Grove Light**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Wood Grove Grey**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Deckwood Amber**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Deckwood Caramel**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Deckwood Pearl**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Deckwood Charcoal**

BENEFITS OF PORCELAIN PAVERS	>
INDEX	>
PRODUCT RANGE	>
ACCESSORIES	>
TECHNICAL SPECIFICATIONS	>

Accessories

OUTDOOR PORCELAIN PAVERS

1. Cobbles

Sizes Available :




100x
100mm



100x
200mm

2. Step-Riser



Sizes Available :

STEP

450x1200mm



RISER

150x1200mm

450x900mm



150x900mm

300x1200mm



200x1200mm

300x900mm



200x900mm



Half Bullnose



Full Bullnose


3. Edging

Size Available :




200x
900mm

4. Coping



Sizes Available :
300x900mm
300x1200mm

5. Pool Drains



Sizes Available :
200x600m
m
200x900m
m

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE


>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>





Crystal Bianco
150x1200mm (Riser)

Crystal Bianco
450x1200mm (Step)

Preview of : **Step-Riser**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Preview of : **Step-Riser**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>


ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>

Preview of : **Step-Riser**



Magma Anthracite
150x900mm (Riser)

Magma Anthracite
450x900mm (Step)

Preview of : **Step-Riser**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE


>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Earthstone Grey
200x900mm

Crystal Bianco
200x900mm

Kandla Grey
200x900mm

Magma Anthracite
200x900mm

Preview of : **Edging**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Quartzite Pearl
300x1200mm
(Two Side Full Bullnose)

Preview of : **Coping**

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE


>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Crystal Bianco
200x900mm

Crystal Bianco
300x900mm
(One Side Full Bullnose)

Preview of : Coping & Pool Drains

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>

Technical Specifications

600x1200x20mm OUTDOOR PORCELAIN PAVERS

TEST DESCRIPTION	STANDARD TEST METHOD	STANDARD REQUIREMENTS	OUR SPECIFICATIONS FOR PRODUCTION
LENGH	BS EN ISO 10545-2	±0.60%	±0.07% (±0.8MM)
WIDTH	BS EN ISO 10545-2	±0.60%	±0.07%(±0.4MM)
THICKNESS	BS EN ISO 10545-2	±5%	±2.5%(0.5MM)
STRAIGHTNESS OF SIDES	BS EN ISO 10545-2	±0.5%	±0.06%(±0.4MM)
RECTANGULARITY	BS EN ISO 10545-2	±0.5%	±0.12%
"SURFACE FLATNESS: CENTRE CURVATURE"	BS EN ISO 10545-2	±0.5%	±0.15%(+1.0MM) ±0.07%(-0.5 MM)
"SURFACE FLATNESS :WARPAGE"	BS EN ISO 10545-2	±0.5%	+0.17% (+1.0MM) +0.08%(+0.5MM)
"SURFACE FLATNESS :WARPAGE"	BS EN ISO 10545-2	±0.5%	-0.15%(1.0MM) -0.07%(-0.5 MM)
WATER ABSORPTION	BS EN ISO 10545-3	E ≤ 0.5%	E ≤ 0.4%
BREAKING STRENGTH	BS EN ISO 10545-4	≥ 1300 N	≥ 10600 N
MODULUS OF RUPTURE	BS EN ISO 10545-4	≥ 35 N/MM²	≥ 45 N/MM²
"RESISTANCE OF SURFACE ABRASION"	BS EN ISO 10545-7	"MANUFACTURE TO STATE ABRASION CLASS"	CLASS -IV
"COEFFICIENT OF LINER THERMAL EXPANSION"	BS EN ISO 10545-8	9x10-6K-1 MAX	≤ 4x10-6K-1 MAX
RESISTANCE THERMAL SHOCK	BS EN ISO 10545-9	MINI 10 CYCLES	FULLY RESISTANCE
CRAZING RESISTANCE	BS EN ISO 10545-11	"PASS ACCORDING TO EN ISO 10545-1g TWO CYCLE MUST PASS"	FULLY RESISTANCE
"RESISTANCE TO HOUSE HOLD CHEMICALS & SWIMMING POOL SALTS	BS EN ISO 10545-13	MINIMUM CLASS GC	CLASS GA
"RESISTANCE TO LOW CONCENTRATIONS ACIDS & ALKALIS"	BS EN ISO 10545-13	MINIMUM CLASS GLC	CLASS GLA
RESISTANCE TO STAINS	BS EN ISO 10545-14	MINIMUM CLASS 3	CLASS 4

Technical Specifications

600x900x20mm OUTDOOR PORCELAIN PAVERS

TEST DESCRIPTION	STANDARD TEST METHOD	STANDARD REQUIREMENTS	OUR SPECIFICATIONS FOR PRODUCTION
LENGH	BS EN ISO 10545-2	±0.60%	±0.07% (±0.4MM)
WIDTH	BS EN ISO 10545-2	±0.60%	±0.07%(±0.6MM)
THICKNESS	BS EN ISO 10545-2	±5%	±2.5%(0.5MM)
STRAIGHTNESS OF SIDES	BS EN ISO 10545-2	±0.5%	±0.06%(±0.4MM)
RECTANGULARITY	BS EN ISO 10545-2	±0.5%	±0.12%
"SURFACE FLATNESS: CENTRE CURVATURE"	BS EN ISO 10545-2	±0.5%	±0.15%(+1.0MM) ±0.07%(-0.5 MM)
"SURFACE FLATNESS :WARPAGE"	BS EN ISO 10545-2	±0.5%	+0.17% (+1.0MM) +0.08%(+0.5MM)
"SURFACE FLATNESS :WARPAGE"	BS EN ISO 10545-2	±0.5%	-0.15%(1.0MM) -0.07%(-0.5 MM)
WATER ABSORPTION	BS EN ISO 10545-3	E ≤ 0.5%	E ≤ 0.4%
BREAKING STRENGTH	BS EN ISO 10545-4	≥ 1300 N	≥ 10600 N
MODULUS OF RUPTURE	BS EN ISO 10545-4	≥ 35 N/MM²	≥ 45 N/MM²
"RESISTANCE OF SURFACE ABRASION"	BS EN ISO 10545-7	"MANUFACTURE TO STATE ABRASION CLASS"	CLASS -IV
"COEFFICIENT OF LINER THERMAL EXPANSION"	BS EN ISO 10545-8	9x10-6K-1 MAX	≤ 4x10-6K-1 MAX
RESISTANCE THERMAL SHOCK	BS EN ISO 10545-9	MINI 10 CYCLES	FULLY RESISTANCE
CRAZING RESISTANCE	BS EN ISO 10545-11	"PASS ACCORDING TO EN ISO 10545-1g TWO CYCLE MUST PASS"	FULLY RESISTANCE
"RESISTANCE TO HOUSE HOLD CHEMICALS & SWIMMING POOL SALTS	BS EN ISO 10545-13	MINIMUM CLASS GC	CLASS GA
"RESISTANCE TO LOW CONCENTRATIONS ACIDS & ALKALIS"	BS EN ISO 10545-13	MINIMUM CLASS GLC	CLASS GLA
RESISTANCE TO STAINS	BS EN ISO 10545-14	MINIMUM CLASS 3	CLASS 4

BENEFITS OF
PORCELAIN
PAVERS

>

INDEX

>

PRODUCT
RANGE

>

ACCESSORIES

>

TECHNICAL
SPECIFICATIONS

>



Thank You



Elevating Spaces with Premium Tiles, Worldwide

Reach out to us for enquiries

 [+353 894 139 274](tel:+353894139274)

 www.snksurfaces.com

 info.snksurfaces.com